

MARIUS AURENTI



MULTI-PURPOSE DEGREASING CLEANER CONCENTRATE

Cleans and degreases all types of surfaces

GENERALITIES

Super concentrated cleaning product with strong degreasing power.

DESTINATION

Suitable for a wide range of applications. Cleaning of microcement, marble, terracotta tiles, ceramic tiles, parquet flooring, carpets, and plastics. Cleaning of painted surfaces before renovation, sanitary facilities, kitchens, and bathrooms. It is also suitable for applications in the food industry. Cleaning of kitchens, floors, cold storage rooms, dishwashing areas, work surfaces, and aluminum and stainless steel containers.

INSTRUCTIONS FOR USE

Dilute the product in plenty of water.

For normal use, use 1 part Multi-Purpose Degreasing Cleaner Concentrate to 100 parts water (i.e., 10 ml of product per 1 liter of water).

For particularly tough stains, dilute 1 part Multi-Purpose Degreasing Cleaner Concentrate to 10 parts water (i.e., 100 ml of product per 1 liter of water).

Apply with a broom, sponge, or brush. Can also be applied with a low-pressure sprayer.

Rinse after use to remove the product and neutralize the pH.

PRECAUTIONS FOR USE

Do not use the product undiluted.

Do not mix with organic acids.

Do not mix with any other household product.

CONSERVATION

Maximum 24 months in the original packaging

PH VALUE

Concentrate: 13.0

Diluted to 2% in water: 11.0

COMPONENTS

Cationic surfactants, foam stabilizers, sodium hydroxide (less than 5%)

SURFACTANT DEGRADABILITY

Above 95%



HOW TO MAINTAIN A WAXED CONCRETE SURFACE?

Prevent dirt!

For example, a floor mat will limit stains, especially on the ground floor. Proper maintenance of concrete requires a multi-step cleaning process.

1. For your concrete interiors with varnish

- Vacuum the dust with a vacuum cleaner equipped with brushes.
- Clean with the Floor Cleaning Concentrate and water. Be sure to follow the recommended usage quantity; these are highly effective professional products.
- Don't hesitate to mop the floor. For larger areas, a floor scrubber or single-disc machine with a suitable pad can be used.
- Renew the wash water (hot or warm water).
- Do not expose the coating to water or steam temperatures exceeding 80°C.
- Rinsing with water helps to remove cleaning product deposits that can eventually soil the floor.
- Clean the white limescale stains with the Anti-limescale Cleaning Concentrate and rinse with water.
- Clean the greasiest areas (worktop, kitchen floor, etc.) with the Multi-Purpose Degreasing Cleaning Concentrate diluted to 1-2% and rinse with water.
- Clean stubborn surface marks, such as black shoe marks, with a scouring sponge (red) or a sponge specifically designed for enamel or ceramic hobs. Green sponges can scratch varnished surfaces.
- Do not add black soap, linseed oil or other nourishing products to the surfaces to avoid soiling.

2. For your waxed interiors

- Use the same cleaning method as for your varnished concrete interiors. However, we recommend renewing the wax after
- Cleaning involves applying a layer of spray wax and spreading it with an applicator brush or painting mitt. This can also be done with a polisher or a single-disc machine with a suitable pad.

HOW TO REMOVE GRIME AND CLEAN THOROUGHLY?

If your surface has become dirty over time, you can carry out a deep cleaning.

1. For your interior concrete surfaces with varnish or exterior floors treated with oil repellent

- Use the Multi-Purpose Degreasing Cleaning Concentrate diluted to 10% in warm or hot water. Leave to act for a few minutes before scrubbing with a broom or floor scrubber (rental available).
- Repeat the process if necessary, preferably vacuuming the water or using a squeegee to remove it to a drain. This can also be done locally on high-traffic areas. Rinse thoroughly with clean water; the results are always surprisingly effective!

2. For waxed interior surfaces

- Use the same cleaning method as for your concrete interiors with varnish and renew the wax after degreasing by applying a layer of spray wax and spreading it with an applicator brush and/or a single-disc scrubber.

Over time, wear and tear can cause the topcoats to wear away, leaving the surface dirty or damaged. Often, a thorough cleaning and polishing of micro-scratches are sufficient to avoid replacing the topcoats. However, if the surface has numerous micro-scratches or is starting to become porous, it's time to refinish the topcoats.

Interior concrete surface with varnish:

- Use the Multi-Purpose Degreasing Cleaning Concentrate diluted to 10% and rinse with water.
- Lightly sand the surface with 120 grit sandpaper, dust it with water, then, after drying, apply the varnish in 1 to 3 coats.

MARIUS AURENTI

For 40 years, Marius Aurenti has been innovating to improve the performance of decorative materials and the sensations they provide.

A mineral and plant aesthetic, close to Nature, to which our works pay homage and for which our environmental commitment is total.

MA's is also present, through its training and support, alongside quality French craftsmanship which, every day in our workshops as well as in the field, strives to make each place unique, beautiful and timeless.



www.mariusaurenti.com +33 (0)9 87 87 65 75